

The Current Situation

The main District Plan rules that manage earthworks are summarised below:

Volume of earthworks - In most 'urban' zones resource consent is required if you exceed 100m³. In the Rural General zone, this increases to 300m³.

Area of earthworks - In most 'urban' zones resource consent is required if you exceed 200m². In the Rural General zone, this increases to 1000m².

Height of cut - In most 'urban' zones resource consent is required if you excavate deeper than 2.4m.

Height of fill - In almost all zones resource consent is required if you place fill deeper than 2m.

Distance from boundary - In most 'urban' zones the cut and fill must be its own height from the boundary, unless retained (see District Plan).

Proximity to waterbody - If earthworks are to occur within 7m of a waterbody, only 20m³ is allowed before resource consent is required.

Environmental Protection Measures - In most zones, certain Environmental Protection Measures must be carried out when doing earthworks, including dust control and erosion/sediment control to stop sediment entering water bodies.




Proposed Changes

Monitoring of the current rules around earthworks has identified a number of issues that need to be looked at.

Possible changes include:


- Provide specific objectives, policies and rules to manage cleanfill and gravel extraction applications.
- Consider using site slope as a trigger for when resource consent is required, to recognise that earthworks on flat sites are less likely to cause environmental effects.
- Consider deleting the area rule of earthworks. Very few applications trigger the area rule (m²) without triggering the volume rule (m³).
- Make the Regional Plan: Water and the District Plan consistent in terms of rules relating to earthworks in proximity to waterways.
- Improve links between the subdivision and zone rules
- Tidy up the rules to improve consistency, for example there are no earthworks limits in the Gibbston Character Area, and two earthworks rules in the Bendemeer Special Zone.
- Review the definition of 'earthworks' in light of Court decisions.

A number of other minor changes are suggested in the earthworks monitoring report. You can see the full report at www.qldc.govt.nz/monitoring.



What Do You Think?

- Have we identified the issues with earthworks correctly?
- Should the permitted quantities of 100m³ and 200m² for most urban zones be retained or increased / decreased?
- Should the permitted quantities of 300m³ and 1000m² for the Rural General zone be retained or increased / decreased?
- Should we link the permitted amounts of earthworks to the slope of the site?
- Should we keep the 12 month time limit for permitted amounts of earthworks?
- Should any other types of earthworks be excluded from the definition?





10/11/14

Existing Paddock Location Plan on Lot 4 DP 349682

SHEET 2 OF 3

Notes:
(1) Cadastral boundaries have been obtained from Land on Line.
(2) Areas and measurements are approximate only and are subject to survey.
(3) Aerial photography has been obtained from QLDG GIS and is subject to
distortion.

Scale : 1:4000 (A3)

Date : September 2014



ape
Surveying Limited
8/11 Bush Road, Albany
Western Australia 6172
Phone 08 9444 7171
Fax 08 9444 7172
Email office@apesurveying.com.au
Web www.apesurveying.com.au

Our Ref : 2748 - 01

v



10/22 22 September 2014 C:\p\proj\131716\Drawings\131716-001.dwg

Existing Paddock Location Plan on Lot 4 DP 349682

SHEET 3 OF 3

- Notes:
- (1) Cadastral boundaries have been obtained from Land on Line.
 - (2) Areas and measurements are approximate only and are subject to survey.
 - (3) Aerial photography has been obtained from QLDG GIS and is subject to distortion.

Scale : 1:4000 (A3)

Date : September 2014



365 Bush Road, Albany
Auckland, New Zealand
Phone: 09 444 1414
Email: office@apeexsurveying.co.nz
Web: www.apeexsurveying.co.nz

Our Ref: 2746-01

v

